



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp



WeChat

NAME: GW-9200 Hook Type Transformer Semi Automatic Winding Machine



SPECIFICATION:

Wire Diameter	0.3-3.5mm
Minimum Inside Diameter	It depends on the size of the needle
NO. Of memory groups	1 Group
Starting Mode	Pneumatic device
Threading Mode	The air cylinder drives the hook needle to wind the thread
Voltage	AC220V 50HZ
Machine Size	1000*500*350MM
Wodden Box Size	1100*650*500MM

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



WhatsApp



WeChat

FEATURES:

The crochet digital coil winding machine adopts the TWC-01 controller, which is a simple program setting and uses the pneumatic crochet method to wind the loop coil, which has the following advantages:

1. Pneumatic crochet type is adopted, and the inner diameter and enameled wire diameter are less restricted.
2. The special crochet needle for precision processing will not hurt the enameled wire.
3. Use the pedal to start, which is convenient and quick.

The ring-type fishing line winding machine is composed of three parts: the head, the clamp, and the base, and is different from the flat-type winding machine. The same head can only be used for different lines after changing the storage ring of different specifications. The product can be wound with different inner diameters, and the fixture also has a corresponding clamping range.

Generally, there are the following consumable parts on the ring winding machine that need to be replaced frequently:

- (1) The wire storage ring, also known as the steel ring (Shuttle), is one of the most important parts on the machine head, which is used to complete the work of wire storage and winding; its quality directly affects the service life and indirect costs. and the quality of the wound products.
- (2) Support wheel, also called guide wheel, the number of support wheels for different machine heads is different, and its material is directly related to its service life.
- (3) Fixture roller, the life of this part is related to the wire diameter, size and material of the wound product.
- (4) Belts, side slides and other consumable parts.

ADVANTAGES:

In general, the toroidal transformer winding machine not only produces completely different products from the flat winding machine, but also greatly increases the consumption cost of its entire life cycle. Once the flat winding machine is purchased, generally only the cost of making different tools is incurred. After the ring winding machine is purchased, different wire storage rings and support wheels need to be replaced according to the wire diameter and size of the produced products. One side of the wire ring slides out (belt type and side sliding type), and the force of the wire storage ring is uneven. After a certain period of time, the wire storage ring and the support wheel need to be replaced before production can continue! Of course, the added value of toroidal coils is much higher than that of flat-wound coils, and this part of the cost can be fully afforded.

GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web:www.coilwindingmachinechina.com



WhatsApp




WeChat

PACKAGING:

Packaging Material: Carton/Wooden case with foam inside.

1.General package(Paper carton or plastic bag): For small equipped parts for Hook Type Transformer Winding Machine, Package it with form and pack paper to guarantee unbroken during the transport.

2.Wooden case package: For larger scale Hook Type Transformer Winding Machine,we have special skilled carpenter, who would make the proper wooden case with exact thickness,density,length. The up arrow ↑marked on the outer wooden case. Buffer material would be put in the wooden case to prevent crack and shock.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area,Dongli Distr,Tianjin,China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



WhatsApp



WeChat

FACTORY:

We-GREWIN INDUSTRIAL GROUP is expert in winding machines lines for 28Years. Our Grewin have ISO9001:2015, CE approvals, Machines' Patents, "high-tech enterprises" by the government.



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.



GREWIN INDUSTRIAL GROUP CO.,LTD.

TEL/WhatsApp: +86 18622096679

Mail: admin@coilwindingmachinechina.com

Web: www.coilwindingmachinechina.com



WhatsApp



WeChat



GREWIN INDUSTRIAL GROUP CO.,LTD.

Add: The fourth floor A-A3 zone aviation business area, Dongli Distr, Tianjin, China.